

L Number	Hits	Search Text	DB	Time stamp
1	12995	(valid\$6 or invalid) near3 (command or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:55
3	3217	((valid\$6 or invalid) near3 (command or request)) with (check\$3 or determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:50
4	24	(((valid\$6 or invalid) near3 (command or request)) with (check\$3 or determin\$3)) with zero	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:50
5	1403	zero near3 (command or request) near10 value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:08
6	123	(zero near3 (command or request) near10 value\$1) and 710/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:55
8	5	(zero near3 (command or request) near10 value\$1) with (valid\$6 or invalid\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:10
9	169	((valid\$6 or invalid) near3 (command or request)) near10 zero	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:10
10	152	(((valid\$6 or invalid) near3 (command or request)) near10 zero) not (((valid\$6 or invalid) near3 (command or request)) with (check\$3 or determin\$3)) with zero)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:10
12	131	(((valid\$6 or invalid) near3 (command or request)) near10 zero) not (((valid\$6 or invalid) near3 (command or request)) with (check\$3 or determin\$3)) with zero)) and (computer or bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:11

15	36	(US-6055579-\$ or US-5584010-\$ or US-5617537-\$ or US-5606714-\$ or US-5452420-\$ or US-5142683-\$ or US-5822421-\$ or US-6154796-\$ or US-4862354-\$ or US-6260088-\$ or US-6131113-\$ or US-6601089-\$ or US-4862350-\$ or US-6070003-\$ or US-6633941-\$ or US-5841973-\$ or US-5446841-\$ or US-5357612-\$ or US-5991820-\$ or US-5590338-\$ or US-6073190-\$ or US-4449182-\$ or US-5734924-\$ or US-6237108-\$ or US-5684962-\$ or US-6366741-\$).did. or (US-4047159-\$ or US-6243785-\$).did. or (US-20010023467-\$ or US-20030088626-\$ or US-20010014918-\$ or US-20030051103-\$ or US-20030037178-\$ or US-20020073241-\$ or US-20020161536-\$ or US-20020071449-\$).did.	USPAT; US-PGPUB	2004/04/30 14:52
19	21	((US-6055579-\$ or US-5584010-\$ or US-5617537-\$ or US-5606714-\$ or US-5452420-\$ or US-5142683-\$ or US-5822421-\$ or US-6154796-\$ or US-4862354-\$ or US-6260088-\$ or US-6131113-\$ or US-6601089-\$ or US-4862350-\$ or US-6070003-\$ or US-6633941-\$ or US-5841973-\$ or US-5446841-\$ or US-5357612-\$ or US-5991820-\$ or US-5590338-\$ or US-6073190-\$ or US-4449182-\$ or US-5734924-\$ or US-6237108-\$ or US-5684962-\$ or US-6366741-\$).did. or (US-4047159-\$ or US-6243785-\$).did. or (US-20010023467-\$ or US-20030088626-\$ or US-20010014918-\$ or US-20030051103-\$ or US-20030037178-\$ or US-20020073241-\$ or US-20020161536-\$ or US-20020071449-\$).did.) and register same (poll\$3 or interrupt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:53
22	784	710/22.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:13
23	96	710/220.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:17

25	1	(710/22.ccls. and poll\$3) and 710/220.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:14
26	5697	poll\$3 with (memory or buffer or FIFO or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:15
24	118	710/22.ccls. and poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:15
27	48	710/220.ccls. and (interval or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:23
28	1551	710/305,306,308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:22
29	1016	711/147-148.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:23
30	13	710/305,306,308.ccls. and 711/147-148.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:24
31	2	(710/305,306,308.ccls. and 711/147-148.ccls.) and poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:24
32	660	((interval or timing or timer or period) near4 (programmable or adjust\$6 or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:27
33	1	((interval or timing or timer or period) near4 (programmable or adjust\$6 or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3) and (710/305,306,308.ccls. or 711/147-148.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:27

34	41	710/305,306,308.ccls. and (interval or timing or timer or period) same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:32
35	20	711/147-148.ccls. and (interval or timing or timer or period) same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:34
38	1	834346.ap.	US-PGPUB	2004/04/30 17:18
41	6807	memory near10 frame	US-PGPUB	2004/04/30 16:42
42	107	(memory near10 frame) with cell	US-PGPUB	2004/04/30 16:42
43	269	zero near3 (command or request) with compar\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:21
44	64	(zero near3 (command or request) with compar\$6) with (check\$3 or determin\$4 or valid\$6 or invalid\$6 or error or bad)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:11
63	1	042809.ap.	US-PGPUB	2004/04/30 17:19
64	592	(valid\$6 or invalid\$6) near3 (command or request) with compar\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:24
65	11	((valid\$6 or invalid\$6) near3 (command or request) with compar\$6) with (empt\$3 or zero)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:21
66	364	zero with value\$1 with (command or request) with compar\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:27
67	159	(zero with value\$1 with (command or request) with compar\$6) and (computer or bus or 710.ccls. or 711.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:35
68	24	(zero with value\$1 with (command or request) with compar\$6) and 711.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 19:42

71	2945	message near3 interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 19:46
72	35	(message near3 interrupt) same interrupt near3 pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 19:42
73	36	(message near3 interrupt) with pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 19:57
75	1	826784.ap.	US-PGPUB	2004/04/30 19:57
-	2070	(common or shared) adj2 (buffer or memory) with (messages or requests or commands)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 17:30
-	324	((common or shared) adj2 (buffer or memory) with (messages or requests or commands)) and 710/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 17:30
-	157	((common or shared) adj2 (buffer or memory) with (messages or requests or commands)) and 710/.ccls.) and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 17:41
-	8	("6,055,579") or ("6,467,008") or ("5,414,858") or ("6,105,102") or ("6,128,728") or ("5,634,099") or ("6,549,881") or ("6,055,579") or ("4,862,350")).PN.	USPAT	2004/04/29 19:09
-	3166	(common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 17:52
-	1267	((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request)) and (interrupt or poll\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 17:56
-	973	((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request)) and (interrupt or poll\$3)) and (pointing or pointer or map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 17:52

-	955	(((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request)) and (interrupt or poll\$3)) and (pointing or pointer or map\$4)) and (cpu or processor or mpu or pu or processing adj2 (unit or device or circuit or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:14
-	942	((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request)) with (plac\$3 or stor\$3 or sav\$3 or exchang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:59
-	238	(((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request)) with (plac\$3 or stor\$3 or sav\$3 or exchang\$3)) and (interrupt or poll\$3) and (pointer or map\$3) and (cpu or processor or mpu or pu or processing adj2 (unit or device or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:00
-	59	(((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request)) with (plac\$3 or stor\$3 or sav\$3 or exchang\$3)) and (interrupt or poll\$3) and (pointer or map\$3) and (cpu or processor or mpu or pu or processing adj2 (unit or device or module))) and 710/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:06
-	15	4862350.URPN.	USPAT	2004/04/27 17:59
-	3	273430.ap.	USPAT; US-PGPUB	2004/04/27 18:14
-	177	(common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request) same (cpu or processor or mpu or pu or processing adj2 (unit or device or circuit or module)) same (interrupt\$3 or poll\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 19:58
-	40	21.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 19:48
-	10	5276896.URPN.	USPAT	2004/04/27 19:51
-	74	((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request) same (cpu or processor or mpu or pu or processing adj2 (unit or device or circuit or module)) same (interrupt\$3 or poll\$3)) and (pointer or mapped or pointing) near5 (memory or buffer or fifo or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:57

-	1	6131113.URPN.	USPAT	2004/04/27 20:10
-	10	("5771383" "5877812" "5974469" "5987496" "6029205" "6131113" "6145007" "6151644" "6256315" "6314501").PN.	USPAT	2004/04/27 20:12
-	6	6065089.URPN.	USPAT	2004/04/28 17:12
-	74	((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request) same (cpu or processor or mpu or pu or processing adj2 (unit or device or circuit or module)) same (interrupt\$3 or poll\$3)) and (pointer or mapped or pointing) near5 (memory or buffer or fifo or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:57
-	4122	((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near7 (messages or commands or requests or information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:49
-	1394	111.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:58
-	684	111.ab,ti. with (plac\$3 or stor\$3 or sav\$3 or exchang\$3 or communicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:00
-	21	(111.ab,ti. with (plac\$3 or stor\$3 or sav\$3 or exchang\$3 or communicat\$3)) and poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:01
-	293	(111.ab,ti. with (plac\$3 or stor\$3 or sav\$3 or exchang\$3 or communicat\$3)) same (cpu or processor or mpu or pu or processing adj2 (unit or device or module or node or agent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:06
-	60	((111.ab,ti. with (plac\$3 or stor\$3 or sav\$3 or exchang\$3 or communicat\$3)) same (cpu or processor or mpu or pu or processing adj2 (unit or device or module or node or agent))) and (interrupt\$3 or poll\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:06

-	45	((111.ab,ti. with (plac\$3 or stor\$3 or sav\$3 or exchang\$3 or communicat\$3)) same (cpu or processor or mpu or pu or processing adj2 (unit or device or module or node or agent))) and (interrupt\$3 or poll\$3)) not ((111.ab,ti. with (plac\$3 or stor\$3 or sav\$3 or exchang\$3 or communicat\$3)) and poll\$3) not (((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near5 (message or command or request) same (cpu or processor or mpu or pu or processing adj2 (unit or device or circuit or module)) same (interrupt\$3 or poll\$3)) and (pointer or mapped or pointing) near5 (memory or buffer or fifo or queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:06
-	32	(((common\$2 or shared) adj2 (memory or buffer or FIFO or queue) near7 (messages or commands or requests or information))) same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:49
-	1	("6073190").PN.	USPAT	2004/04/29 19:12
-	1	("4449182").PN.	USPAT	2004/04/30 16:03
-	1	("5734924").PN.	USPAT	2004/04/29 19:19
-	10764	(dma or direct adj2 memory adj2 access\$3) near10 (CPU or process?r or mpu or cpu or pu or processing adj2 (unit or device or module or node or agent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 19:26
-	378	((dma or direct adj2 memory adj2 access\$3) near10 (CPU or process?r or mpu or cpu or pu or processing adj2 (unit or device or module or node or agent))) same (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:25
-	97	(((dma or direct adj2 memory adj2 access\$3) near10 (CPU or process?r or mpu or cpu or pu or processing adj2 (unit or device or module or node or agent))) same (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)) and poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:02
-	0	poll\$3 with programmable adj3 (interval or period) with clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:03
-	4	poll\$3 with programmable adj3 (interval or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:06

-	60	poll\$3 same (programmable near3 (interval or period or time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:08
-	13	(poll\$3 same (programmable near3 (interval or period or time))) same clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:06
-	90	poll\$3 with (programmable or adjustable or dynamic\$7) near3 (interval or period or time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:16
-	28	(poll\$3 with (programmable or adjustable or dynamic\$7) near3 (interval or period or time)) and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:09
-	27	((poll\$3 with (programmable or adjustable or dynamic\$7) near3 (interval or period or time)) and clock) not ((poll\$3 same (programmable near3 (interval or period or time))) same clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:09
-	82	poll\$3 same clock same (programmable or adjustable or dynamic\$7 or chang\$6 modif\$7 or re?program\$5) near3 (interval or period or tim\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:24
-	1	poll\$3 same clock with restart\$3 with "after"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:27
-	5195	poll\$3 with "after"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:23
-	237	(poll\$3 with "after") same clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:24
-	145	((poll\$3 with "after") same clock) same (interval or period or tim\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:24

-	24	(((poll\$3 with "after") same clock) same (interval or period or tim\$3)) same (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:20
-	250	poll\$3 with restart\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:27
-	59	(poll\$3 with restart\$3) with (complet\$3 or finish\$3 or done or receiv\$3 or retriev\$3 or read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:56
-	147	poll\$3 adj5 ("until" or "after") adj3 (receiv\$3 or retriev\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:02
-	39	(poll\$3 adj5 ("until" or "after") adj3 (receiv\$3 or retriev\$3)) with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:58
-	32	(poll\$3 adj5 ("until" or "after") adj3 (receiv\$3 or retriev\$3)) with (tim\$3 or restart\$3 or start\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 20:59
-	337285	(start\$3 or restart\$3) near4 (interval or tim\$3 or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:09
-	1992	((start\$3 or restart\$3) near4 (interval or tim\$3 or period)) with ("until" or "after") adj3 (receiv\$3 or retriev\$3 or read\$3 or obtain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:10
-	12	(((start\$3 or restart\$3) near4 (interval or tim\$3 or period)) with ("until" or "after") adj3 (receiv\$3 or retriev\$3 or read\$3 or obtain\$3)) same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:10
-	189104	(repeat\$3) near4 (interval or tim\$3 or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:12

-	936	((repeat\$3) near4 (interval or tim\$3 or period)) with ("until" or "after") adj3 (receiv\$3 or retriev\$3 or read\$3 or obtain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:15
-	4	((repeat\$3) near4 (interval or tim\$3 or period)) with ("until" or "after") adj3 (receiv\$3 or retriev\$3 or read\$3 or obtain\$3)) same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:10
-	254	(repeat\$3) near4 (interval or tim\$3 or period) with poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:13
-	5122	poll\$3 adj3 (message or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:13
-	1720	(poll\$3 adj3 (message or data)) and (repeat\$3 or restart\$3 or start\$3) near4 (interval or tim\$3 or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:14
-	165	(poll\$3 adj3 (message or data)) same (repeat\$3 or restart\$3 or start\$3) near4 (interval or tim\$3 or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:14
-	101	((poll\$3 adj3 (message or data)) same (repeat\$3 or restart\$3 or start\$3) near4 (interval or tim\$3 or period)) same (receiv\$3 or retriev\$3 or read\$3 or obtain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:15
-	376	poll\$3 same (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:29
-	14	(poll\$3 same (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)) same (restart\$3 or repeat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 21:29
-	167	poll\$3 with (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:43

-	161	(poll\$3 with (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)) not ((poll\$3 same (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)) same (restart\$3 or repeat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:19
-	155041	(interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:46
-	44	((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3) same clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:31
-	295	((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) with poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:31
-	88	((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) with poll\$3) and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:31
-	72	((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) with poll\$3) and clock) not (((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3) same clock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:31
-	0	(poll\$3 same (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)) same ((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:43
-	160	((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3 with (memory or buffer or FIFO or queue or message or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:27

-	135	(((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3 with (memory or buffer or FIFO or queue or message or data)) not (((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) with poll\$3) and clock) not (((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3) same clock))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 23:02
-	3	(poll\$3 same (common\$2 or shared) adj2 (memory or buffer or FIFO or queue)) same (interval or timing or timer or period) near4 (reset\$4 or preset\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 22:47
-	36	(((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3 with (memory or buffer or FIFO or queue or message or data)) not (((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) with poll\$3) and clock) not (((interval or timing or timer or period) near4 (programmable or adjustable or dynamic\$7 or chang\$6 or modif\$7 or re?program\$5)) same poll\$3) same clock))) and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:49